

Obesity pandemic: An Iranian perspective(Review)

- Malekzadeh, R.^{a,d}Email Author,
- Mohamadnejad, M.^b,
- Merat, S.^a,
- Pourshams, A.^a,
- Etemadi, A.^c
- View Correspondence (jump link)
- ^aDigestive Disease Research Center, Tehran Univ. of Medical Sciences, Tehran, Iran
- ^bGastrointest./Liver Dis. Res. Center, Iran University of Medical Sciences, Tehran, Iran
- ^cDept. of Epidemiology/Biostatistics, School of Public Health, Tehran Univ. of Medical Sciences, Tehran, Iran

View additional affiliations_

Abstract_View references (64)

The prevalence of overweight and obesity in most developed and developing countries have been increasing markedly over the past two decades. This increase includes all ages, genders, racial and ethnic groups, income, and educational levels. A variety of genetic, environmental, physiological, psychological and sociocultural factors influence the development of obesity. Iran like many other developing countries is now experiencing the global epidemic of obesity and its consequences. Recent epidemiological studies have revealed that the prevalence of obesity, overweight, and metabolic syndrome in Iran is equal to or higher than Europe and the United States and it is the primary cause of the rising prevalence of type 2 diabetes and the important comorbid states such as hypertension, cardiovascular, renal, and gastrointestinal diseases along with increasing the burden of cancers. This is also in line with the present etiologies of death in Iran with cardiovascular disease and cancer accounting for nearly 60% of causes of nontraumatic death. The prevalence of obesity in Iran has reached epidemic proportions and is specifically affecting women and

younger age groups also. The increased consumption of calorie-dense regular and fast foods and sucrose-enriched drinks, together with an increasingly sedentary lifestyle, appear to be major factors contributing to this epidemic. The per capita consumption of carbonated beverages in Iran is 42 liters per year and 40% of Iranians consume more food than they need, and the average Iranian consumes 40% more carbohydrate and 30% more fat than needed. To deal with this epidemic, prevention should receive high priority and social measures such as taxing fast foods, subsidizing fresh food and vegetables, and spending more public money on projects to promote physical activity are necessary. There is also emerging evidence that treating obese subjects, particularly those with metabolic syndrome or type 2 diabetes, has short-term effects on the prevention of diabetes; improves glucose, lipid, and blood pressure parameters; and is likely to have beneficial effects on long-term health outcomes.

SciVal Topic Prominence

Topic: Carcinoma, Hepatocellular | Neoplasm Metastasis | liver metastasis
Prominence percentile: 28.976

Author keywords

BMIDiabetesIranMetabolic syndromeNAFLDObesity

Indexed keywords

EMTREE drug terms: betainemetforminprobucolsibutraminetetrahydrolipstatintroglitazoneursodeoxycholic acid

EMTREE medical terms: alcoholic pancreatitisatherosclerosisbariatric surgeryblood glucose monitoringblood pressure monitoringbudgetcancer riskcarbohydrate intakecarbonated beveragecardiovascular diseasecause of deathclinical trialcomorbiditydeveloping countrydisease associationdisease classificationdyslipidemiaeating habitethnic differenceexercisefinancial managementfood intakegallbladder diseasegastroesophageal refluxgastrointestinal diseasegastroplastygouthealth care policyhealth promotionhumanhyperglycemiahyperinsulinemiahypertensionhypertriglyceridemiahyperuricemiaIrankidney diseaselifestylelipid blood levellong term caremetabolic syndrome Xmortalitynon insulin dependent diabetes mellitusnonalcoholic fatty livernutritional valueobesityobesity hypoventilation syndromeosteoarthritisoutcomes researchphysical activityprevalencereviewrisk assessmentsleep apnea syndromesocial aspectstomach bypassstax

Chemicals and CAS Registry Numbers:

betaine, 107-43-7, 590-46-5; metformin, 1115-70-4, 657-24-9; probucol, 23288-49-5; sibutramine, 106650-56-0; tetrahydrolipstatin, 96829-58-2; troglitazone, 97322-87-7; ursodeoxycholic acid, 128-13-2, 2898-95-5

Drug tradename:

- orlistat
- **ISSN:** 10292977
- **CODEN:** AIMRD
- **Source Type:** Journal
- **Original language:** English
- **Document Type:** Review
- References (64)
- [View in search results format](#)

☐ All

Export Print E-mail Save to PDF Create bibliography

☐ Klein, S., Wadden, T., Sugerman, H.J.
1 [AGA technical review on obesity](#)

(2002) *Gastroenterology*, 123 (3), pp. 882-932. [Cited 172 times](#).
doi: 10.1053/gast.2002.35514

• [View at Publisher](#)

☐ Mohamadnejad, M., Pourshams, A., Malekzadeh, R., Mohamadkhani, A., Rajabiani, A., Asgari, A.A., Alimohamadi, S.M., (...), Mamar-Abadi, M.
2 [Healthy ranges of serum alanine aminotransferase levels in Iranian blood donors](#)(Open Access)

(2003) *World Journal of Gastroenterology*, 9 (10), pp. 2322-2324. [Cited 49 times](#).
<https://www.wjgnet.com/1007-9327>
doi: 10.3748/wjg.v9.i10.2322

• [View at Publisher](#)

☐ [Obesity: preventing and managing the global epidemic. Report of a WHO consultation.](#)
3 (2000) *World Health Organization - Technical Report Series*, 894, pp. i-xii, 1-253. [Cited 2047 times](#).

☐ Hill, A.J., Williams, J.
4 [Psychological health in a non-clinical sample of obese women](#) (Open Access)

(1998) *International Journal of Obesity*, 22 (6), pp. 578-583. [Cited 75 times](#).

<http://www.nature.com/ijo/index.html>

doi: 10.1038/sj.ijo.0800631

- [View at Publisher](#)

☐ Fontaine, K.R., Cheskin, L.J., Barofsky, I.
5 [Health-related quality of life in obese persons seeking treatment](#)

(1996) *Journal of Family Practice*, 43 (3), pp. 265-270. [Cited 207 times](#).

☐ Orzano, A.J., Scott, J.G.
6 [Diagnosis and treatment of obesity in adults: An applied evidence-based review](#)

(2004) *Journal of the American Board of Family Practice*, 17 (5), pp. 359-369. [Cited 93 times](#).
<http://www.jabfm.org/cgi/reprint/17/5/359>

- [View at Publisher](#)

☐ (1998) *Obesity. Preventing and Managing the Global Epidemic*. [Cited 8703 times](#).
7 World Health Organization. Report of a WHO Consultation on Obesity. Geneva: World Health Organization

-

☐ [Clinical guidelines on the identification, evaluation, and treatment of overweight and obesity in adults - The evidence report](#)
8

(1998) *Obesity Research*, 6 (SUPPL. 2), pp. XI-209S. [Cited 1202 times](#).

☐ Nishida, C., Barba, C., Cavalli-Sforza, T., Cutter, J., Deurenberg, P., Darnton-Hill, I., Deurenberg-Yap, M., (...), Zimmet, P.
9 [Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies](#)

(2004) *Lancet*, 363 (9403), pp. 157-163. [Cited 4718 times](#).
<http://www.journals.elsevier.com/the-lancet/>
doi: 10.1016/S0140-6736(03)15268-3

- [View at Publisher](#)

☐ Must, A., Dallal, G.E., Dietz, W.H.
10 [Reference data for obesity: 85th and 95th percentiles of body mass index \(wt/ht²\) and triceps skinfold thickness](#)

(1991) *American Journal of Clinical Nutrition*, 53 (4), pp. 839-846. [Cited 1017 times](#).
<http://www.ajcn.org/contents-by-date.2005.shtml>
doi: 10.1093/ajcn/53.4.839

- [View at Publisher](#)

- ☐ Dietz, W.H., Bellizzi, M.C.
11 [Introduction: The use of body mass index to assess obesity in children](#)
(1999) *American Journal of Clinical Nutrition*, 70 (1), pp. 123S-125S. [Cited 373 times](#).
 - [View at Publisher](#)
- ☐ Abate, N., Garg, A., Peshock, R.M., Stray-Gundersen, J., Grundy, S.M.
12 [Relationships of generalized and regional adiposity to insulin sensitivity in men](#)(Open Access)
(1995) *Journal of Clinical Investigation*, 96 (1), pp. 88-98. [Cited 591 times](#).
<http://www.jci.org>
doi: 10.1172/JCI118083
 - [View at Publisher](#)
- ☐ [Third Report of the National Cholesterol Education Program \(NCEP\) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults \(Adult Treatment Panel III\) final report.](#)
13
(2002) *Circulation*, 106 (25), pp. 3143-3421. [Cited 9466 times](#).
- ☐ NHANES 1999; prevalence of overweight and obesity among adults: US, 1999
14 (1999) . [Cited 3 times](#).
National Center for Health Statistics. Hyattsville (MD): US Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention
 -
- ☐ Pourshams, A., Saadatian-Elahi, M., Nouraie, M., Malekshah, A.F., Rakhshani, N., Salahi, R., Yoonessi, A., (...), Malekzadeh, R.
15 [Golestan cohort study of oesophageal cancer: Feasibility and first results](#) (Open Access)
(2005) *British Journal of Cancer*, 92 (1), pp. 176-181. [Cited 71 times](#).
doi: 10.1038/sj.bjc.6602249
 - [View at Publisher](#)
- ☐ Azizi, F.
16 (2001) *Tehran Lipid and Glucose Study*. [Cited 19 times](#).
Tehran: Endocrine Research Center
 -
- ☐ Dietz, W.H.
17 [Overweight in Childhood and Adolescence](#)

(2004) *New England Journal of Medicine*, 350 (9), pp. 855-857. [Cited 418 times](#).
doi: 10.1056/NEJMp048008

- [View at Publisher](#)

☐ Stice, E., Cameron, R.P., Killen, J.D., Hayward, C., Taylor, C.B.
18 [Naturalistic weight-reduction efforts prospectively predict growth in relative weight and onset of obesity among female adolescents](#)

(1999) *Journal of Consulting and Clinical Psychology*, 67 (6), pp. 967-974. [Cited 372 times](#).
<http://www.apa.org/pubs/journals/ccp/>
doi: 10.1037/0022-006X.67.6.967

- [View at Publisher](#)

☐ Greydanus, D.E., Bhave, S.
19 [Obesity and adolescents: Time for increased physical activity!](#)

(2004) *Indian Pediatrics*, 41 (6), pp. 545-550. [Cited 14 times](#).

- [View at Publisher](#)

☐ Dorosty, A.R., Siassi, F., Reilly, J.J.
20 [Obesity in Iranian children](#) (Open Access)

(2002) *Archives of Disease in Childhood*, 87 (5), pp. 388-390. [Cited 55 times](#).
doi: 10.1136/ad.87.5.388

- [View at Publisher](#)

☐ Manson, J.E., Willett, W.C., Stampfer, M.J., Colditz, G.A., Hunter, D.J., Hankinson, S.E., Hennekens, C.H., (...), Speizer, F.E.
21 [Body weight and mortality among women](#)

(1995) *New England Journal of Medicine*, 333 (11), pp. 677-685. [Cited 1641 times](#).
doi: 10.1056/NEJM199509143331101

- [View at Publisher](#)

☐ Stone, N.J.
22 [Secondary causes of hyperlipidemia](#)

(1994) *Medical Clinics of North America*, 78 (1), pp. 117-141. [Cited 131 times](#).
<http://www.medical.theclinics.com/>
doi: 10.1016/S0025-7125(16)30179-1

- [View at Publisher](#)

☐ Chait, A., Brunzell, J.D.
23 [Acquired hyperlipidemia \(secondary dyslipoproteinemias\)](#)

(1990) *Endocrinology and Metabolism Clinics of North America*, 19 (2), pp. 259-278. [Cited 63 times](#).

- [View at Publisher](#)

☐ Reaven, G.M.
24 [Role of insulin resistance in human disease \(syndrome X\): An expanded definition](#)

(1993) *Annual Review of Medicine*, 44, pp. 121-131. [Cited 695 times](#).
doi: 10.1146/annurev.me.44.020193.001005

- [View at Publisher](#)

☐ Lakka, H.-M., Laaksonen, D.E., Lakka, T.A., Niskanen, L.K., Kumpusalo, E., Tuomilehto, J., Salonen, J.T.
25 [The metabolic syndrome and total and cardiovascular disease mortality in middle-aged men](#) (Open Access)

(2002) *Journal of the American Medical Association*, 288 (21), pp. 2709-2716. [Cited 3644 times](#).
doi: 10.1001/jama.288.21.2709

- [View at Publisher](#)

☐ Pyörälä, M., Miettinen, H., Laakso, M., Pyörälä, K.
26 [Hyperinsulinemia predicts coronary heart disease risk in healthy middle- aged men: The 22-year follow-up results of the Helsinki Policemen Study](#) (Open Access)

(1998) *Circulation*, 98 (5), pp. 398-404. [Cited 310 times](#).
<http://circ.ahajournals.org>
doi: 10.1161/01.CIR.98.5.398

- [View at Publisher](#)

☐ Kenchaiah, S., Evans, J.C., Levy, D., Wilson, P.W.F., Benjamin, E.J., Larson, M.G., Kannel, W.B., (...), Vasan, R.S.
27 [Obesity and the risk of heart failure](#)

(2002) *New England Journal of Medicine*, 347 (5), pp. 305-313. [Cited 1686 times](#).
doi: 10.1056/NEJMoa020245

- [View at Publisher](#)

- ☐
28
- Locke III, G.R., Talley, N.J., Fett, S.L., Zinsmeister, A.R., Melton III, L.J.
[Risk factors associated with symptoms of gastroesophageal reflux](#)

(1999) *American Journal of Medicine*, 106 (6), pp. 642-649. [Cited 390 times](#).
doi: 10.1016/S0002-9343(99)00121-7

 - [View at Publisher](#)
- ☐
29
- Ruth, M., Månsson, I., Sandberg, N.
[The prevalence of symptoms suggestive of esophageal disorders](#)

(1991) *Scandinavian Journal of Gastroenterology*, 26 (1), pp. 73-81. [Cited 157 times](#).
doi: 10.3109/00365529108996486

 - [View at Publisher](#)
- ☐
30
- Malekzadeh, R., Nasser-Moghaddam, S., Sotoudeh, M.
[Gastroesophageal reflux disease: The new epidemic](#)

(2003) *Archives of Iranian Medicine*, 6 (2), pp. 127-140. [Cited 25 times](#).

☐
31

Malekzadeh, R., Pourshams, A., Nasser-Moghaddam, S.
Gastroesophageal reflux disease: The new epidemic in developing countries
(2004) *Gastroenterology*, 126 (SUPPL. 2), p. A310.

 -

☐
32

Nasser-Moghaddam, S., Malekzadeh, R., Sotoudeh, M., Tavangar, M., Azimi, K., Sohrabpour, A.-
A., Mostadjabi, P., (...), Minapoor, M.
[Lower esophagus in dyspeptic Iranian patients: A prospective study](#)

(2003) *Journal of Gastroenterology and Hepatology (Australia)*, 18 (3), pp. 315-321. [Cited 31 times](#).
<http://www3.interscience.wiley.com/journal/118533731/toc>
doi: 10.1046/j.1440-1746.2003.02969.x

 - [View at Publisher](#)

☐
33

Stampfer, M.J., Maclure, K.M., Colditz, G.A., Manson, J.E., Willett, W.C.
[Risk of symptomatic gallstones in women with severe obesity](#)

(1992) *American Journal of Clinical Nutrition*, 55 (3), pp. 652-658. [Cited 244 times](#).
<http://www.ajcn.org/contents-by-date.2005.shtml>
doi: 10.1093/ajcn/55.3.652

 - [View at Publisher](#)

34 ☐ Suazo-Baráhona, J., Carmona-Sánchez, R., Robles-Díaz, G., Milke-García, P., Vargas-Vorácková, F., Uscanga-Domínguez, L., Peláez-Luna, M.
[Obesity: A risk factor for severe acute biliary and alcoholic pancreatitis](#)

(1998) *American Journal of Gastroenterology*, 93 (8), pp. 1324-1328. [Cited 91 times](#).
doi: 10.1016/S0002-9270(98)00323-2

- [View at Publisher](#)

35 ☐ Adler, M., Schaffner, F.
[Fatty liver hepatitis and cirrhosis in obese patients](#)

(1979) *The American Journal of Medicine*, 67 (5), pp. 811-816. [Cited 333 times](#).
doi: 10.1016/0002-9343(79)90740-X

- [View at Publisher](#)

36 ☐ Strohl, K.P., Strobel, R.J., Parisi, R.A.
Obesity and pulmonary function
(1998) *Handbook of Obesity*, p. 725. [Cited 25 times](#).
Bray GA, Bouchard C, James WP, eds. New York, NY: Mercel Dekker

-

37 ☐ Roubenoff, R., Klag, M.J., Mead, L.A., Liang, K.-Y., Seidler, A.J., Hochberg, M.C.
[Incidence and Risk Factors for Gout in White Men](#)

(1991) *JAMA: The Journal of the American Medical Association*, 266 (21), pp. 3004-3007. [Cited 190 times](#).
doi: 10.1001/jama.1991.03470210072035

- [View at Publisher](#)

38 ☐ Hartz, A.J., Fischer, M.E., Bril, G., Kelber, S., Rupley Jr., D., Oken, B., Rimm, A.A.
[The association of obesity with joint pain and osteoarthritis in the HANES data](#)

(1986) *Journal of Chronic Diseases*, 39 (4), pp. 311-319. [Cited 169 times](#).
doi: 10.1016/0021-9681(86)90053-6

- [View at Publisher](#)

39 ☐ Michaud, D.S., Giovannucci, E., Willett, W.C., Colditz, G.A., Stampfer, M.J., Fuchs, C.S.
[Physical activity, obesity, height, and the risk of pancreatic cancer](#) (Open Access)

(2001) *Journal of the American Medical Association*, 286 (8), pp. 921-929. [Cited 410 times](#).
<http://jama.jamanetwork.com/journal.aspx>
doi: 10.1001/jama.286.8.921

- [View at Publisher](#)

☐ Chow, W.-H., Gridley, G., Fraumeni, J.F., Järholm, B.
40 [Obesity, hypertension, and the risk of kidney cancer in men](#)

(2000) *New England Journal of Medicine*, 343 (18), pp. 1305-1311. [Cited 443 times](#).
doi: 10.1056/NEJM200011023431804

- [View at Publisher](#)

☐ Lew, E.A., Garfinkel, L.
41 [Variations in mortality by weight among 750,000 men and women](#)

(1979) *Journal of Chronic Diseases*, 32 (8), pp. 563-576. [Cited 957 times](#).
doi: 10.1016/0021-9681(79)90119-X

- [View at Publisher](#)

☐ Calle, E.E., Rodriguez, C., Walker-Thurmond, K., Thun, M.J.
42 [Overweight, obesity, and mortality from cancer in a prospectively studied cohort of U.S. Adults](#)

(2003) *New England Journal of Medicine*, 348 (17), pp. 1625-1638. [Cited 4752 times](#).
doi: 10.1056/NEJMoa021423

- [View at Publisher](#)

☐ Azizi, F., Salehi, P., Etemadi, A., Zahedi-Asl, S.
43 [Prevalence of metabolic syndrome in an urban population: Tehran Lipid and Glucose Study](#)

(2003) *Diabetes Research and Clinical Practice*, 61 (1), pp. 29-37. [Cited 366 times](#).
www.elsevier.com/locate/diabres
doi: 10.1016/S0168-8227(03)00066-4

- [View at Publisher](#)

☐ Ford, E.S., Giles, W.H., Dietz, W.H.
44 [Prevalence of the metabolic syndrome among US adults: Findings from the Third National Health and Nutrition Examination Survey](#) (Open Access)

(2002) *Journal of the American Medical Association*, 287 (3), pp. 356-359. [Cited 5212 times](#).
<http://jama.jamanetwork.com/journal.aspx>
doi: 10.1001/jama.287.3.356

- [View at Publisher](#)

- Naghavi, M.
45 Etiology of death in 18 provinces of Iran in year 2001 (2003) , p. 75. [Cited 5 times](#).
Deputy for Health, Ministry of Health and Medical Education I.R. Iran [in Farsi]
-
- Pourshams, A., Malekzadeh, R., Monavvari, A., Akbari, M.R., Mohamadkhani, A., Yarahmadi, S., Seddighi, N., (...), Madjllessi, A.
46 [Prevalence and etiology of persistently elevated alanine aminotransferase levels in healthy Iranian blood donors](#)
(2005) *Journal of Gastroenterology and Hepatology (Australia)*, 20 (2), pp. 229-233. [Cited 42 times](#).
<http://www3.interscience.wiley.com/journal/118533731/toc>
doi: 10.1111/j.1440-1746.2004.03511.x
- [View at Publisher](#)
- Sotoudehmanesh, R., Ali Asgari, A., Sotoudeh, M., Abedi Ardakani, B., Tavangar, S.M., Malekzadeh, R.
47 Silent liver diseases in an autopsy-based study (2002) *Gut*, 51 (SUPPL. 3), p. A257. [Cited 2 times](#).
-
- Schlundt, D.G., Hill, J.O., Pope-Cordle, J., Arnold, D., Virts, K.L., Katahn, M.
48 [Randomized evaluation of a low fat ad libitum carbohydrate diet for weight reduction](#)
(1993) *International Journal of Obesity*, 17 (11), pp. 623-629. [Cited 93 times](#).
- Foster, G.D., Wyatt, H.R., Hill, J.O., McGuckin, B.G., Brill, C., Mohammed, B.S., Szapary, P.O., (...), Klein, S.
49 [A randomized trial of a low-carbohydrate diet for obesity](#)
(2003) *New England Journal of Medicine*, 348 (21), pp. 2082-2090. [Cited 1222 times](#).
doi: 10.1056/NEJMoa022207
- [View at Publisher](#)
- Wing, R.R.
50 [Physical activity in the treatment of the adulthood overweight and obesity: Current evidence and research issues](#)
(1999) *Medicine and Science in Sports and Exercise*, 31 (11 SUPPL.), pp. S547-S552. [Cited 248 times](#).
- [View at Publisher](#)
- Perri, M.G., McAdoo, W.G., McAllister, D.A., Lauer, J.B., Yancey, D.Z.
51 [Enhancing the Efficacy of Behavior Therapy for Obesity. Effects of Aerobic Exercise and a Multicomponent Maintenance Program](#)

(1986) *Journal of Consulting and Clinical Psychology*, 54 (5), pp. 670-675. [Cited 100 times](#).
doi: 10.1037/0022-006X.54.5.670

- [View at Publisher](#)

☐ 52 Wei, M., Gibbons, L.W., Mitchell, T.L., Kampert, J.B., Lee, C.D., Blair, S.N.
[The association between cardiorespiratory fitness and impaired fasting glucose and type 2 diabetes mellitus in men](#)

(1999) *Annals of Internal Medicine*, 130 (2), pp. 89-96. [Cited 323 times](#).

<http://annals.org/issues.aspx>

doi: 10.7326/0003-4819-130-2-199901190-00002

- [View at Publisher](#)

☐ 53 Lee, C.D., Blair, S.N., Jackson, A.S.
[Cardiorespiratory fitness, body composition, and all-cause and cardiovascular disease mortality in men](#)

(1999) *American Journal of Clinical Nutrition*, 69 (3), pp. 373-380. [Cited 702 times](#).

- [View at Publisher](#)

☐ 54 Sjöström, L., Rissanen, A., Andersen, T., Boldrin, M., Golay, A., Koppeschaar, H.P.F., Krempf, M.
[Randomised placebo-controlled trial of orlistat for weight loss and prevention of weight regain in obese patients](#)

(1998) *Lancet*, 352 (9123), pp. 167-172. [Cited 898 times](#).

<http://www.journals.elsevier.com/the-lancet/>

doi: 10.1016/S0140-6736(97)11509-4

- [View at Publisher](#)

☐ 55 Yanovski, S.Z., Yanovski, J.A.
[Obesity](#)

(2002) *New England Journal of Medicine*, 346 (8), pp. 591-602. [Cited 569 times](#).

doi: 10.1056/NEJMra012586

- [View at Publisher](#)

☐ 56 Steinbrook, R.
[Surgery for Severe Obesity](#)

(2004) *New England Journal of Medicine*, 350 (11), pp. 1075-1079. [Cited 455 times](#).

doi: 10.1056/NEJMp048029

- [View at Publisher](#)

☐ 57 Pourshams, A., Fazel, I., Yarahmadi, S.
Obesity and nonalcoholic fatty liver disease
(2004) *Gut*, 53 (SUPPL. 3), p. A83.

•

☐ 58 Pourshams, A., Hemayati, R., Sotoudeh, M.
Nonalcoholic fatty liver disease in morbidly obese patients before and after intestinal bypass surgery
(2003) *Gastroenterology*, 124 (SUPPL. 1), p. A382.

•

☐ 59 Merat, S., Malekzadeh, R., Sohrabi, M.R., Hormazdi, M., Naserimoghadam, S., Mikaeli, J., Farahvash, M.J., (...), Khatibian, M.
[Probuco in the treatment of nonalcoholic steatohepatitis: An open-labeled study](#)
(2003) *Journal of Clinical Gastroenterology*, 36 (3), pp. 266-268. [Cited 43 times](#).
doi: 10.1097/00004836-200303000-00015

- [View at Publisher](#)

☐ 60 Merat, S., Malekzadeh, R., Sohrabi, M.R., Sotoudeh, M., Rakhshani, N., Sohrabpour, A.A., Naserimoghadam, S.
[Probuco in the treatment of non-alcoholic steatohepatitis: A double-blind randomized controlled study](#)
(2003) *Journal of Hepatology*, 38 (4), pp. 414-418. [Cited 108 times](#).
<http://www.sciencedirect.com/science/journal/01688278>
doi: 10.1016/S0168-8278(02)00441-5

- [View at Publisher](#)

☐ 61 Gentilcore, E., Bugianes, E., Marchesini, G.
Metformine (MET) vs. diet in nonalcoholic fatty liver disease (NAFLD): A randomized controlled trial
(2004) *Gut*, 53 (SUPPL. 6), p. A18.

•

☐ 62 Pereira, M.A., Jacobs Jr., D.R., Van Horn, L., Slattery, M.L., Kartashov, A.I., Ludwig, D.S.
[Dairy consumption, obesity, and the insulin resistance syndrome in young adults: The CARDIA study](#) (Open Access)
(2002) *Journal of the American Medical Association*, 287 (16), pp. 2081-2089. [Cited 829 times](#).
<http://jama.jamanetwork.com/journal.aspx>
doi: 10.1001/jama.287.16.2081

- [View at Publisher](#)

☐ 63 Pratley, R.E., Hagberg, J.M., Rogus, E.M., Goldberg, A.P.
[Enhanced insulin sensitivity and lower waist-to-hip ratio in master athletes](#)

(1995) *American Journal of Physiology - Endocrinology and Metabolism*, 268 (3 31-3), pp. E484-E490. [Cited 40 times](#).

- [View at Publisher](#)

☐ 64 Farrell, G.C.
[Non-alcoholic steatohepatitis: What is it, and why is it important in the Asia-Pacific region?](#)

(2003) *Journal of Gastroenterology and Hepatology (Australia)*, 18 (2), pp. 124-138. [Cited 183 times](#).
<http://www3.interscience.wiley.com/journal/118533731/toc>
doi: 10.1046/j.1440-1746.2003.02989.x

- [View at Publisher](#)

Malekzadeh, R.; Digestive Disease Research Center, Shariati Hospital, North Kargar Ave., Iran;
email: malek@ams.ac.ir

© Copyright 2008 Elsevier B.V., All rights reserved.